


1 FLOOR PLAN
A-101 SCALE: 1:50




2 ROOF PLAN
A-101 SCALE: 1:50

LEGEND:

- DOOR TYPE, SEE PLATE A-601
- FIRE EXTINGUISHER AND WALL MOUNTED BRACKET
- WINDOW TYPE, SEE PLATE A-601
- FLOOR DRAIN
- SPLIT PACK HVAC HEAT PUMP
- EXHAUST FAN
- 220V DUPLEX ELECTRICAL RECEPTACLE
- 220V DUPLEX RECEPTACLE, GROUND FAULT CIRCUIT INTERRUPTER

GENERAL NOTES:

1. WALL FINISHES SHALL BE AS INDICATED IN FINISH SCHEDULE ON PLATE A-601.
2. SURFACES TO BE PAINTED SHALL BE CLEAN AND FREE OF FOREIGN MATTER BEFORE APPLICATION OF PAINT. CLEANING SHALL BE SCHEDULED SO THAT DUST AND OTHER CONTAMINANTS WILL NOT FALL ON WET, NEWLY PAINTED SURFACES.
3. CONCRETE AND INTERIOR MASONRY SURFACES GROUTED SOLID SHALL BE ALLOWED TO DRY AT LEAST 30 DAYS BEFORE PAINTING.
4. PAINTS CONTAINING LEAD IN EXCESS OF 0.06 PERCENT BY WEIGHT OF THE TOTAL NONVOLATILE CONTENT SHALL NOT BE USED.
5. MERCURIAL FUNGICIDES SHALL NOT BE USED IN OIL-BASE PAINT.
6. REMOVE LOOSE DIRT AND CLEAN SURFACES BEFORE PAINTING. APPLY PAINT TO INTERIOR STRUCTURAL RIGID FRAMINGS AND CEILINGS AND TEST FOR ADHESION. PRIMER COAT FOR MASONRY. INITIAL FIRST COAT WITH AN ACRYLIC LATEX PAINT FOR EXTERIOR SURFACES AND A SECOND COAT WITH A WATER REPELLENT ACRYLIC LATEX PAINT.
7. DIMENSIONS ARE TO EDGE OF MASONRY OPENINGS.
8. GROUND FAULT CIRCUIT INTERRUPTER DUPLEX RECEPTACLES AT CABINET SHALL BE PLACED ON TWO SEPARATE AND DEDICATED CIRCUITS.



3 REFLECTED CEILING PLAN
A-101 SCALE: 1:50

LEGEND:

- FIXTURE MARK "A"**
 WRAP AROUND, SURFACE MOUNTED, FLUORESCENT FIXTURE WITH PRISMATIC ACRYLIC LENS AND ELECTRONIC BALLAST
- (2) 32W 3500K BULBS
- 220V - 1Ø 50HZ
- FIXTURE MARK "A"**
 WRAP AROUND, SURFACE MOUNTED, FLUORESCENT FIXTURE WITH PRISMATIC ACRYLIC LENS AND ELECTRONIC BALLAST WITH EMERGENCY BALLAST
- (2) 32W 3500K BULBS
- 220V - 1Ø 50HZ
- FIXTURE MARK "B"**
 INCANDESCENT, WALL MOUNTED, ONE PIECE W/APPROVED LENS STABILIZED HIGH IMPACT POLYCARBONATE.
- (1) A19 - 100W INCANDESCENT
- 220V - 1Ø 50HZ



REV.	DATE	DESCRIPTION	DATE

DESIGNED BY: AED	CHKD BY: AED	DRAWING CODE: 	FILE NAME:
DWN BY: AED	REVIEWED BY: 		

U.S. ARMY CORPS OF ENGINEERS
AFGHANISTAN ENGINEER DISTRICT
APO AE 09356

ENGINEERING AND
CONSTRUCTION DIVISION

CNPA HEADQUARTERS COMPOUND
KABUL, AFGHANISTAN

GUARD HOUSE
**FLOOR PLAN, ROOF PLAN,
AND REFLECTED CEILING PLAN**

SHEET
REFERENCE
NUMBER:
A-101
SHEET 7 OF 9

