


1
B-A2 B-A2 SCALE: 1:100
DFAC, KITCHEN ANNEX, AND WOOD STORAGE ROOF PLAN

DFAC, KITCHEN ANNEX, AND WOOD STORAGE ROOF PLAN NOTES:


1. THE CONTRACTOR SHALL SIZE THE GUTTER, DOWNSPOUT AND SPLASHBLOCKS PER REQUIREMENTS OF THE INTERNATIONAL STANDARD PLUMBING CODE TO ACCOMMODATE A MAXIMUM 50 MILLIMETER (2 INCH) PER HOUR RAINFALL.
2. PRODUCTS:
 - A. PRE-ENGINEERED METAL ROOF.
 - B. STEEL PURLINS
 - C. VINYL FACED INSULATION.
 - D. ACCESSORIES.
 - E. GUTTER, DOWNSPOUT AND SUPPORT FOR DOWNSPOUT.
3. ROOFING INSTALLATION SHALL BE CONTINUOUS WITH ALL OPERATIONS PROCEEDING TOGETHER. BEFORE CESSATION OF WORK ON EACH WORKING DAY OR WHEN WORK IS INTERRUPTED DUE TO RAINFALL OR OTHER CAUSES, THE ROOF SHALL BE SEALED AGAINST INTRUSION OF WATER.

KEY NOTES:



1. RIDGE VENT.
2. PRE-ENGINEERED METAL ROOF PANEL OVER STEEL PURLIN W/ VINYL FACED INSULATION BY METAL BUILDING MANUFACTURER.
3. METAL GUTTER & DOWNSPOUT BY METAL BUILDING MANUFACTURER.
4. PREFINISHED METAL CHIMNEY CAP WITH BIRD SCREEN
5. ROOF CRICKET- RE: DETAIL 3/S-A4
6. ROOF PENETRATION-RE: DETAIL 8/S-A13
7. CORRUGATED METAL CANOPY -RE: SECTION 4/B-A5



2
B-A2 B-A2 SCALE: 1:10
TYPICAL CANOPY PLAN



3
2/B-A2 B-A2 SCALE: 1:10
CANOPY SECTION



SYMBOL	DESCRIPTION	DATE	APP.

DESIGNED BY: BAKER	DATE: 04-01-08
DWN BY: K/JG	SUBMITTED BY: BAKER
CHK BY: KRC	FILE NO.:

Alricide Business Park
Alricide Avenue
Moore, South Carolina, 15108
(412) 269-6300

Baker
MICHAEL BAKER, INC.

US Army Corps
of Engineers
Transatlantic Programs
Center

AFGHAN NATIONAL BORDER POLICE
AFGHANISTAN NATIONAL
BORDER POLICE UNIT FACILITY
BORDER POLICE COMPANY

DFAC, KITCHEN ANNEX, AND WOOD STORAGE
ROOF PLAN AND CANOPY PLAN AND SECTION

SHEET
REFERENCE
NUMBER:
B-A2

A B C D E F G H

6
5
4
3
2
1



**DFAC, KITCHEN ANNEX, AND WOOD STORAGE
GENERAL NOTES:**


1. METAL PANEL CEILING TO BE ATTACHED TO THE UNDERSIDE OF STEEL PURLIN.
2. COORDINATE FINAL LAYOUT AND QUANTITY OF ACCESS PANELS WITH CONCEALED MECHANICAL EQUIPMENT.
3. COORDINATE FINAL LAYOUT AND QUANTITY OF ELECTRICAL AND MECHANICAL ITEMS WITH ELECTRICAL AND MECHANICAL DRAWINGS.

LEGEND:

-  METAL PANEL ON LIGHT GAGE METAL FRAMING
-  LIGHTING FIXTURE - RE: ELECTRICAL
-  CEILING FAN - RE: ELECTRICAL
-  EXIT LIGHT - RE: ELECTRICAL

KEY NOTES:

1. UNDERSIDE OF STRUCTURE, PAINTED.



SYMBOL	DESCRIPTION	DATE	APP.

DESIGNED BY: BAKER	DATE: 04-01-08
DWN BY: KJG	SUBMITTED BY: BAKER
CHK BY: KRC	FILE NO.:

Airside Business Park
300 Airside Drive
Mauldin, SC 29556
Phone: 15108
Fax: 269-6300

Baker
MICHAEL BAKER, INC.

US Army Corps
of Engineers
Transatlantic Programs
Center

AFGHAN NATIONAL BORDER POLICE
AFGHANISTAN NATIONAL
BORDER POLICE UNIT FACILITY
BORDER POLICE COMPANY

DFAC, KITCHEN ANNEX, AND WOOD STORAGE
REFLECTED CEILING PLAN

SHEET
REFERENCE
NUMBER:
B-A3

1
B-A3 | B-A3 SCALE: 1:100


DFAC, KITCHEN ANNEX, AND WOOD STORAGE REFLECTED CEILING PLAN




READY TO ADVERTISE SUBMISSION

A B C D E F G H


6
5
4
3
2
1



1 WALL SECTION
 1/B-A1 | B-A5 SCALE: 1:20




2 WALL SECTION
 1/B-A1 | B-A5 SCALE: 1:20



3 WALL SECTION
 1/B-A1 | B-A5 SCALE: 1:20

UNLESS OTHERWISE NOTED, LINEAR DIMENSIONS SHOWN ARE IN MILLIMETERS (MM)



SYMBOL	DESCRIPTION	DATE	APP.

DESIGNED BY: BAKER	DATE: 04-01-08
DWN BY: K/JG	SUBMITTED BY: BAKER
CHK BY: KRC	FILE NO.:

Arcade Business Park
 15108
 Moorpark Road
 (412) 269-6300

 US Army Corps
 of Engineers
 Transatlantic Programs
 Center

AFGHAN NATIONAL BORDER POLICE
 AFGHANISTAN NATIONAL
 BORDER POLICE UNIT FACILITY
 BORDER POLICE COMPANY
 DFAC WALL SECTIONS

SHEET
 REFERENCE
 NUMBER:
B-A6

READY TO ADVERTISE SUBMISSION

A B C D E F G H

6


5

4

3

2

1



1 DFAC, KITCHEN ANNEX, AND WOOD STORAGE FLOOR PLAN
B-S1 B-S1 SCALE: 1:100

PLAN NOTES:

1. FINISH FIRST FLOOR ELEVATION SHALL BE (DATUM 0.0). ALL PLUS OR MINUS DIMENSIONS INDICATED ON PLAN OR REFERRED TO IN NOTES RELATE TO FINISH FIRST FLOOR ELEVATION.
2. TOP OF EXTERIOR FOOTINGS SHALL BE -500 UNLESS OTHERWISE INDICATED.
3. TOP OF INTERIOR FOOTINGS SHALL BE -400 UNLESS OTHERWISE INDICATED.
4. SPREAD FOOTINGS INDICATED BY F# ON PLAN. REFER TO SPREAD FOOTING SCHEDULE ON DRAWING S-4.
5. REFER TO DRAWINGS S-S1 & S-S2 FOR STRUCTURAL NOTES & BASIS OF DESIGN.
6. CTJ & CSJ INDICATES SLAB CONTROL OR CONSTRUCTION JOINTS RESPECTIVELY. REFER TO DRAWING S-S5 FOR DETAILS.
7. REFER TO ARCHITECTURAL DRAWINGS FOR MASONRY PARTITION TYPES.
8. SEE MECHANICAL AND ELECTRICAL DWGS FOR CONCRETE PAD LOCATIONS, SIZES, AND THICKNESS NOT SHOWN. SEE DWG S-S5 FOR DETAILS.
9. --- INDICATES SLOPE IN SLAB ON GRADE. COORDINATE LOCATION AND ELEVATION WITH ARCHITECTURAL AND PLUMBING DRAWINGS. (TYP.)
10. SEE CMU WALL REINFORCING SCHEDULE ON DRAWING S-S4.
11. PRIOR TO CONSTRUCTION OF FOUNDATIONS, THE CONTRACTOR SHALL COORDINATE THE LOCATIONS OF ALL FOOTINGS, PIERS, AND TURN DOWN SLAB EDGES WITH THE PRE-ENGINEERED BUILDING DRAWINGS AND REVISE AS NECESSARY.
12. PRE-ENGINEERED COLUMN BASES SHALL BE DESIGNED AS PINNED ONLY.
13. LOCATIONS OF LATERAL RESISTING SYSTEMS (PORTAL FRAMES) HAS BEEN SHOWN IN PLAN AND SHALL NOT BE MODIFIED UNLESS APPROVED BY THE ENGINEER OF RECORD.
14. ALL PIERS FOR PRE-ENGINEERED BUILDING COLUMNS SHALL HAVE HAIR-PIN TIES AS INDICATED IN THE DETAILS.
15. ANCHOR BOLTS FOR PRE-ENGINEERED BUILDING COLUMNS/PORTAL FRAMES SHALL BE (4)-19 DIA A307M ANCHOR BOLTS (MIN) WITH 300 EMBED MIN. INTO PIER/GRADE BEAM
16. TOP OF PIER ELEVATION SET AT -150. COORDINATE BOTTOM/BASE PLATE AND GROUT REQUIREMENTS WITH PRE-ENGINEERED BUILDING MANUFACTURER.




SYMBOL	DESCRIPTION	DATE	APP.


DESIGNED BY: DATE: 04-01-08
 BAKER
 DWN BY: RCG
 CHK BY: CWW
 SUBMITTED BY: BAKER
 FILE NO.:
 Afacide Business Park
 Afacide Drive
 Moorefield, Va. 15108
 (412) 269-6300
 Baker
 MICHAEL BAKER, INC.
 US Army Corps
 of Engineers
 Transatlantic Programs
 Center

AFGHAN NATIONAL BORDER POLICE
 AFGHANISTAN NATIONAL
 BORDER POLICE UNIT FACILITY
 BORDER POLICE COMPANY
 DFAC - KITCHEN ANNEX AND
 WOOD STORAGE FLOOR PLAN


SHEET
 REFERENCE
 NUMBER:
B-S1



READY TO ADVERTISE SUBMISSION




1 DFAC (2), KITCHEN ANNEX, AND WOOD STORAGE ROOF FRAMING PLAN
 B-S1 | B-S1 SCALE: 1:100



2 ENLARGED KITCHEN ANNEX AND WOOD STORAGE ROOF FRAMING PLAN
 B-S2 | B-S2 SCALE: 1:40

NOTES:

1. REFER TO DRAWINGS S-S1 AND S-S2 FOR STRUCTURAL NOTES AND BASIS OF DESIGN.
2. THE PRE-ENGINEERED BUILDING MANUFACTURER SHALL COORDINATE ALL LOADING REQUIREMENTS INDICATED ON THE DRAWINGS AND SPECIFICATIONS WITH ARCH., STRUCT., MECH., AND ELEC.
3. PRE-ENGINEERED BUILDING COLUMN BASES SHALL BE DESIGNED AS PINNED ONLY.
4. LOCATIONS OF LATERAL RESISTING SYSTEMS (PORTAL FRAMES) HAS BEEN SHOWN IN PLAN AND SHALL NOT BE MODIFIED UNLESS APPROVED BY THE ENGINEER OF RECORD.
5. THE PRE-ENGINEERED BUILDING MANUFACTURER SHALL COORDINATE ALL HANGING LOADING FROM EQUIPMENT OR ARCHITECTURAL ELEMENTS AND INCLUDE IN THE DESIGN OF THE FRAMING.
6. SEE SPECIFICATION FOR LATERAL DRIFT REQUIREMENTS.
7. THE PRE-ENGINEERED BUILDING MANUFACTURER IS RESPONSIBLE TO DESIGN ALL JAMB AND HEAD CONDITION SUPPORT SUB-FRAMING AS REQUIRED FOR THE LOADING INDICATED AND THE REQUIREMENTS OF THE ATTACHED COMPONENTS.
8. ROOF DECK OVER KITCHEN ANNEX AND WOOD STORAGE BUILDING SHALL BE 38 MIN, 22 GAGE, TYPE B WIDE RIB METAL DECK.
9. SEE CMU WALL REINFORCING SCHEDULE ON DRAWING S-S4.




SYMBOL	DESCRIPTION	DATE	APP

DESIGNED BY: DATE: 04-01-08
 BAKER
 DWN BY: RCG
 SUBMITTED BY: BAKER
 CHK BY: CWV
 FILE NO.:
 Arside Business Park
 400 Arside Blvd
 Marietta, GA 30066
 (412) 269-6300
Baker
 MICHAEL BAKER, INC.
 US Army Corps
 of Engineers
 Transatlantic Programs
 Center


AFGHAN NATIONAL BORDER POLICE
 AFGHANISTAN NATIONAL
 BORDER POLICE UNIT FACILITY
 BORDER POLICE COMPANY
 DFAC - KITCHEN ANNEX AND
 WOOD STORAGE ROOF FRAMING PLAN

SHEET REFERENCE NUMBER:
B-S2

READY TO ADVERTISE SUBMISSION



1 DFAC FIRST FLOOR POWER PLAN
 B-E2 | B-E2 SCALE: 1:100



2 DFAC FIRST FLOOR HVAC PLAN
 B-E2 | B-E2 SCALE: 1:100

FAN SCHEDULE							
NO.	TYPE	FAN CMS	DRIVE	HP	SP mmH2O	ELECT. CHAR.	SWITCH
EF-1	WALL	0.050	DIRECT	FRACT	13	220/1/50	W/ LIGHTS
EF-2	INLINE	0.100	DIRECT	1/30	13	220/1/50	⊙ PANEL
EF-3	UPBLAST	2.000	DIRECT	2	25	220/1/50	⊙ HOOD
EF-4	INLINE	0.200	DIRECT	1/12	13	220/1/50	⊙ WALL
SF-1	SUPPLY	1.600	DIRECT	1-1/2	13	220/1/50	⊙ HOOD

NOTE:
 1. EF-2 SHALL BE EXPLOSION PROOF.
 2. INLINE FANS SHALL BE SURFACE MOUNTED WITH SPRING ISOLATORS.
 3. EF-3 AND SF-1 ARE SUPPLIED AND INSTALLED BY THE MECHANICAL CONTRACTOR. FINAL ELECTRICAL CONNECTIONS ARE BY THE ELECTRICAL CONTRACTOR. SEE MECHANICAL DRAWINGS.


ELECTRIC UNIT HEATER SCHEDULE					
NO.	CMS	KW	F.A.T. °C	ELECT. CHAR.	MOUNTING
EH-1	.193	3	33	370/1/50	CEILING HUNG
EH-2	.193	3	33	370/1/50	CEILING HUNG
EH-3	.193	3	33	370/1/50	CEILING HUNG

GENERAL NOTE:

- REFER TO DRAWING #S-E0 FOR ELECTRICAL SYMBOLS LIST.
- EXIT SIGNS SHALL BE ON UNSWITCHED CIRCUITS.
- REFER TO DRAWING #S-E1 FOR LIGHTING FIXTURE SCHEDULE.
- REFER TO DRAWING #R-E1 FOR POWER RISER OF PANELS.
- REFER TO R-E SERIES DRAWINGS FOR PANEL SCHEDULES.
- ALL MECHANICAL EQUIPMENT & INSTALLATIONS AS INDICATED ON THE DRAWINGS & IN THE SPECIFICATIONS SHALL BE THE RESPONSIBILITY OF THE ELECTRICAL CONTRACTOR.

NUMBERED NOTE:

- EXHAUST FAN.
- PANEL 'B1'.
- 3 16.0 mm² + 1 6.0 mm² GND. IN 20 mm C.
- NEMA 1, 380V, 3P, 60A FUSED DISCONNECT FUSED AT 50A.
- UPBLAST EXHAUST FAN FOR KITCHEN HOOD.
- WALL MOUNTED EXHAUST FAN.
- ELECTRIC UNIT HEATER SUSPENDED FROM STRUCTURE ABOVE.
- THERMOSTAT MOUNTED AT 1.5M AFF.
- WALL CAP PER FAN MANUFACTURER. INSTALLED BY MC.
- DUCT DOWN TO 300mm AFF BY MC.
- TELECOMMUNICATIONS CONDUIT STUB-UP
- INLINE EXHAUST FAN, SECURED TO STRUCTURE ABOVE WITH SPRING ISOLATORS, DUCTED TO WALL CAP. DUCT BY MC.
- 100mm SLEEVE THROUGH WALL WITH CAP FOR FUTURE WOOD BURNING STOVE. STOVE IS BY OTHERS. SLEEVE SHALL BE MOUNTED 2M AFF.
- GRILLE BY MC.
- KITCHEN HOOD BY MC. VERIFY ELECTRICAL CONNECTIONS WITH HOOD MANUFACTURE.
- UPBLAST EXHAUST FAN SUPPLIED AND INSTALLED BY MC. ELECTRICAL CONNECTIONS BY EC. SEE MECHANICAL DRAWINGS FOR DETAILS.
- FILTERED SUPPLY FAN SUPPLIED AND INSTALLED BY MC. ELECTRICAL CONNECTIONS BY EC. SEE MECHANICAL DRAWINGS FOR DETAILS.





NO.	DATE	DESCRIPTION

DESIGNED BY: DATE: 04-01-08
 ALF
 SUBMITTED BY: BAKER
 DWN BY: ALF
 FILE NO.:
 CHK BY: JRG
 US Army Corps of Engineers
 Transatlantic Programs Center
 Baker
 Michael Baker Jr., Inc.
 15108
 Moorpark, CA 94950
 (415) 269-6300

AFGHAN NATIONAL BORDER POLICE
 AFGHANISTAN NATIONAL
 BORDER POLICE UNIT FACILITY
 BORDER POLICE UNIT COMPANY
 DFAC
 FIRST FLOOR POWER PLAN

SHEET
 REFERENCE
 NUMBER:
B-E2






KEY NOTES: (X)

1. TYPICAL TOILET STALL LAYOUT - RE: DETAIL 6/S-A10
2. CONCRETE STOOP - RE: DETAIL 1/S-A13
3. SHOWER CURTAIN, TYP
4. FLOOR DRAIN, TYP
5. STAINLESS STEEL LAUNDRY TUB

LEGEND:

- (-) DOOR TYPE, SEE SHEET S-A8
- (-) PARTITION TYPE, SEE SHEET S-A3
- (X) KEY NOTE
- FEC FIRE EXTINGUISHER CABINET
- (F) WINDOW TYPE, SEE SHEET S-A8
- (1) ROOM FINISH TYPE, SEE SHEET S-A8
- (-) FLOOR DRAIN



NO.	DATE	DESCRIPTION


DESIGNED BY: BAKER	DATE: 04-01-08
DWN BY: K/JG	SUBMITTED BY: BAKER
CHK BY: KRC	FILE NO.:

Afride Business Park
 Afride Business Park
 Moor Road, P.O. 15108
 (412) 269-6300
Baker
 MICHAEL BAKER, INC.
 US Army Corps
 of Engineers
 Transatlantic Programs
 Center


TOILET/SHOWER/ABLUTION/LAUNDRY BUILDING FLOOR PLAN TOTAL GSM = 179.8
 D-A1 | D-A1 SCALE: 1:100

FLOOR PLAN NOTES:


1. ALL TOILET STALL PARTITIONS SHALL BE TYPE 2. ALL SHOWER STALL PARTITIONS SHALL BE TYPE 5. ALL OTHER INTERIOR PARTITIONS SHALL BE TYPE 1 UNLESS NOTED OTHERWISE.
2. SURFACES TO BE PAINTED SHALL BE CLEAN AND FREE OF FOREIGN MATTER BEFORE APPLICATION OF PAINT. CLEANING SHALL BE SCHEDULED SO THAT DUST AND OTHER CONTAMINANTS WILL NOT FALL ON WET, NEWLY PAINTED SURFACES.
3. CONCRETE AND INTERIOR MASONRY SURFACES GROUTED SOLID SHALL BE ALLOWED TO DRY AT LEAST 30 DAYS BEFORE PAINTING EXCEPT CONCRETE SLAB ON GRADE WHICH SHALL BE ALLOWED TO CURE 90 DAYS BEFORE PAINTING.
4. PAINTS CONTAINING LEAD IN EXCESS OF 0.06 PERCENT BY WEIGHT OF THE TOTAL NONVOLATILE CONTENT SHALL NOT BE USED.
5. MERCURIAL FUNGICIDES SHALL NOT BE USED IN OIL-BASE PAINT.
6. REMOVE LOOSE DIRT AND CLEAN SURFACES BEFORE PAINTING. APPLY PAINT TO INTERIOR STRUCTURAL RIGID FRAMINGS AND CEILINGS AND TEST FOR ADHESION. PRIMER COAT FOR MASONRY. INITIAL FIRST COAT WITH AN ACRYLIC LATEX PAINT FOR EXTERIOR SURFACES AND A SECOND COAT WITH A WATER REPELLENT ACRYLIC LATEX PAINT.
7. INTERIOR METAL DOORS AND FRAMES SHALL RECEIVE A PRIMER COAT PLUS TWO COATS OF PAINT.
8. DIMENSIONS ARE TO CENTERLINE OF WINDOW OPENINGS, AND TO HINGE SIDE OF DOOR OPENINGS.
9. ALL SHOWER STALL DOORS SHALL BE F.1.5 UNLESS NOTED OTHERWISE. SEE S-A4 FOR DOOR/FRAME AND HARDWARE TYPES.
10. ALL TOILET STALL DOORS SHALL BE T.1.5 UNLESS NOTED OTHERWISE. SEE S-A4 FOR DOOR/FRAME AND HARDWARE TYPES.
11. ALL WINDOWS ARE TYPE F UNLESS NOTED OTHERWISE.
12. INSTALL SHOWER CURTAINS AT ALL SHOWERS.
13. SEE DP1 FOR FLOOR DRAIN LOCATIONS.
14. PROVIDE CERAMIC TILE AT ALL SHOWER PANS AND SHOWER SURROUNDS.
15. PROVIDE CERAMIC TILE AT ALL ABLUTION AREAS PANS AND SURROUNDS.
16. SLOPE 1.5M AREA AROUND DRAINS DOWN TO DRAIN AT 1:50 SLOPE. DRAIN SHALL BE SITUATED 30MM BELOW FINISH FLOOR.
17. SEE ELECTRICAL FOR STOVE SLEEVE LOCATIONS



ENLARGED TOILET PLAN
 D-A1 | D-A1 SCALE: 1:50




ENLARGED SHOWER PLAN
 D-A1 | D-A1 SCALE: 1:50




AFGHAN NATIONAL BORDER POLICE
 AFGHANISTAN NATIONAL
 BORDER POLICE UNIT FACILITY
 BORDER POLICE COMPANY
 TOILET/SHOWER/ABLUTION/LAUNDRY BUILDING
 FLOOR PLANS

SHEET
 REFERENCE
 NUMBER:
D-A1


READY TO ADVERTISE SUBMISSION




**TOILET/SHOWER/
ABLUTION/LAUNDRY ELEVATION**
1/D-A1 | D-A2 SCALE: 1:100



**TOILET/SHOWER/
ABLUTION/LAUNDRY ELEVATION**
3/D-A1 | D-A2 SCALE: 1:100



**TOILET/SHOWER/
ABLUTION/LAUNDRY ELEVATION**
2/D-A1 | D-A2 SCALE: 1:100



**TOILET/SHOWER/
ABLUTION/LAUNDRY ELEVATION**
4/D-A1 | D-A2 SCALE: 1:100



KEY NOTES:

1. EXTERIOR CONCRETE WALL W/ STUCCO FINISH AND PARAPET CAP
2. STUCCO ON CMU
3. METAL GUTTER
4. METAL DOWNSPOUT WITH SPLASH BLOCK
5. STUCCO CONTROL JOINT ALIGNED WITH CMU CONTROL JOINT
6. CORRUGATED METAL ROOF
7. WALL MOUNTED EXHAUST VENT - SEE ELECTRICAL

GENERAL NOTES:

1. COORDINATE SIZE AND LOCATION OF OPENINGS FOR MECHANICAL ITEMS WITH MECHANICAL DRAWINGS.
2. PROVIDE STRUCTURAL LINTELS AS REQUIRED - RE: STRUCT

UNLESS OTHERWISE NOTED, LINEAR DIMENSIONS SHOWN ARE IN MILLIMETERS (MM)



SYMBOL	DESCRIPTION	DATE	APP.


DESIGNED BY: DATE: 04-01-08
 BAKER
 DWN BY: K/JG
 SUBMITTED BY: BAKER
 CHK BY: KRC
 FILE NO.:
 KRC

Alside Business Park
 Alside Business Center, 15108
 Moorpark, Mo. (417) 269-6300
Baker
 MICHAEL BAKER, INC.

US Army Corps
 of Engineers
 Transatlantic Programs
 Center

AFGHAN NATIONAL BORDER POLICE
 AFGHANISTAN NATIONAL
 BORDER POLICE UNIT FACILITY
 BORDER POLICE COMPANY
 TOILET/SHOWER/ABLUTION/LAUNDRY BUILDING
 ELEVATIONS


SHEET
 REFERENCE
 NUMBER:
D-A2



1 TOILET/SHOWER/ABLUTION/LAUNDRY BUILDING ROOF PLAN
 D-A3 D-A3 SCALE: 1:100

KEY NOTES:

1. CORRUGATED METAL ROOF
2. LINE OF BUILDING BELOW
3. RIDGE
4. PARAPET WALL W/ CAP
5. ROOF PENETRATION-RE: DETAIL 8/S-A13



SYMBOL	DESCRIPTION	DATE	APP.

DESIGNED BY: BAKER	DATE: 04-01-08
DWN BY: K/JG	SUBMITTED BY: BAKER
CHK BY: KRC	FILE NO.:


Alric Business Park
 Alric Business Park
 Moorefield, Va. 15108
 (412) 269-6300

Baker
 MICHAEL BAKER, INC.

US Army Corps
 of Engineers
 Transatlantic Programs
 Center

KEY NOTES:

1. CORRUGATED METAL ROOF
2. CONCRETE SLAB
3. PARAPET WALL W/ CAP
4. SEE STRUCTURAL FOR FOUNDATION



2 TOILET/SHOWER/ABLUTION/LAUNDRY BUILDING SECTION
 D-A2 D-A2 SCALE: 1:100

UNLESS OTHERWISE NOTED, LINEAR
 DIMENSIONS SHOWN ARE IN MILLIMETERS
 (MM)



AFGHAN NATIONAL BORDER POLICE
 AFGHANISTAN NATIONAL
 BORDER POLICE UNIT FACILITY
 BORDER POLICE COMPANY
 TOILET/SHOWER/ABLUTION/LAUNDRY BUILDING
 ROOF PLAN & BUILDING SECTION

SHEET
 REFERENCE
 NUMBER:
D-A3

A B C D E F G H

6

5

4


3

2


1

PLAN NOTES:

1. FINISH FIRST FLOOR ELEVATION SHALL BE (DATUM 0.0). ALL PLUS OR MINUS DIMENSIONS INDICATED ON PLAN OR REFERRED TO IN NOTES RELATE TO FINISH FIRST FLOOR ELEVATION.
2. TOP OF EXTERIOR FOOTINGS SHALL BE -500 UNLESS OTHERWISE INDICATED.
3. TOP OF INTERIOR FOOTING SHALL BE -400 UNLESS OTHERWISE INDICATED.
4. SPREAD FOOTINGS INDICATED BY F# ON PLAN. REFER TO SPREAD FOOTING SCHEDULE ON DRAWING S-54.
5. COLUMNS INDICATED BY C# ON PLAN. REFER TO COLUMN SCHEDULE ON DRAWING S-54.
6. GRADE BEAM INDICATED BY GB# ON PLAN. REFER TO BEAM SCHEDULE ON DRAWING S-54.
7. REFER TO DRAWINGS S-51 AND S-52 FOR STRUCTURAL NOTES AND BASIS OF DESIGN.
8. CTJ & CSJ INDICATES SLAB CONTROL OR CONSTRUCTION JOINTS RESPECTIVELY. REFER TO DRAWING S-55 FOR DETAILS.
9. SEE CMU WALL REINFORCING SCHEDULE ON DRAWING S-54.
10. REFER TO ARCHITECTURAL DRAWINGS FOR MASONRY PARTITION TYPES.
11. SEE MECHANICAL AND ELECTRICAL DWG FOR CONCRETE PAD LOCATIONS, SIZES, AND THICKNESS NOT SHOWN. SEE DWG. S-55 FOR DETAILS.
12. ——— INDICATES SLOPE IN SLAB ON GRADE. COORDINATE LOCATION AND ELEVATION WITH ARCHITECTURAL AND PLUMBING DRAWINGS. (TYP.)



TOILET/SHOWER/ABLUTION/LAUNDRY FOUNDATION PLAN
 SCALE: 1:100



SYMBOL	DESCRIPTION	DATE	APP.

Designed By: BAKER
Submitted By: BAKER
Dwn By: RCG
Chk By: CWW
Date: 04-01-08
File No.:

Arcade Business Park
AFGHANISTAN NATIONAL
BORDER POLICE UNIT FACILITY
BORDER POLICE COMPANY
TOILET/SHOWER/ABLUTION/LAUNDRY BUILDING
FOUNDATION PLAN

Baker
 MICHAEL BAKER, JR., INC.
 15108 Moorpark Road, Suite 100
 Overland Park, MO 66204
 (913) 269-6300

US Army Corps of Engineers
 Transatlantic Programs Center

AFGHAN NATIONAL BORDER POLICE
 AFGHANISTAN NATIONAL
 BORDER POLICE UNIT FACILITY
 BORDER POLICE COMPANY
 TOILET/SHOWER/ABLUTION/LAUNDRY BUILDING
 FOUNDATION PLAN

SHEET REFERENCE NUMBER:
D-S1

READY TO ADVERTISE SUBMISSION

A B C D E F G H

6


5

4

3

2

1



1 TOILET/SHOWER/ABLUTION/LAUNDRY ROOF FRAMING PLAN
 D-S2 D-S2 SCALE: 1:100

PLAN NOTES:

1. TOP OF ROOF SLAB ELEVATION= 3600.
2. COLUMNS INDICATED BY C# ON PLAN. REFER TO COLUMN SCHEDULE ON DRAWING S-4.
3. ROOF BEAM INDICATED BY RB# ON PLAN. REFER TO BEAM SCHEDULE ON DRAWING S-4.
4. REFER TO DRAWINGS S-S1 AND S-S2 FOR STRUCTURAL NOTES AND BASIS OF DESIGN.
5. REFERENCE ARCHITECTURAL DRAWINGS FOR COLD-FORMED STEEL OVERFRAMMING ABOVE ROOF SLAB



SYMBOL	DESCRIPTION	DATE	APP.

DESIGNED BY: BAKER DATE: 04-01-08
 DWN BY: RCG SUBMITTED BY: BAKER
 CHK BY: CWV FILE NO.:
 Outside Business Park
 Alton, Illinois, U.S.A.
 Moore Engineering Co., 15108
 (412) 269-6300
 Baker MICHAEL BAKER, JR., INC.
 US Army Corps of Engineers
 Transatlantic Programs Center

AFGHAN NATIONAL BORDER POLICE
 AFGHANISTAN NATIONAL
 BORDER POLICE UNIT FACILITY
 BORDER POLICE COMPANY
 TOILET/SHOWER/ABLUTION/LAUNDRY BUILDING
 ROOF FRAMING PLAN

SHEET
 REFERENCE
 NUMBER:
D-S2

